


MONOSEM

The precision Planter specialist



Inter-row and vegetable crop cultivators

www.monosem.com



EN

TECHNICAL FEATURES

MULTICROP RANGE

Frame		Rigid			Manual folding	Hydraulic folding				
		TIP 5" Monobar			TIP 5" Monobar	TIP 5" «Wide Configuration» monoblock				
Width		3 m 50	5 m 20	6 m 60	5 m 00	4 m 90	5 m 20	6 m 30	6 m 70	8 m 90 (1)
Transport width					3 m 60	3 m 50	3 m 00	3 m 00	3 m 00	3 m 00
Number of rows 45-50 cm		6	-	12	-	-	-	12	-	18 (12 si repliée)
Number of rows 50-65 cm		-	-	-	-	-	7	9	11	-
Number of rows 65-80 cm		4	6	8	6	6 (2) (4 if folded)	6	-	8	12 (8 if folded)
Guiding	Self-guiding	●	●	●	●	●	●	●	●	●
	Front-mounted	○	-	-	-	-	○	○	○	-
	Manual guiding	○	○	-	○	-	○	-	-	-
	Automatic guiding	-	-	-	-	-	○ (3)	○ (3)	○ (3)	-
Fertilizer	Standard fertilizer	○	○	○	○	-	○	○	-	-
	High capacity fertilizer	○	○	-	-	-	○	-	-	-
	Front fertilizer 1000 or 1600 l	○	○	○	○	○	○	○	○	-
Land wheels		○	○	○	○	○	○ / ● (4)	○	○	●
Transport carriage		-	-	○	-	-	-	-	-	-
Lighting kit		○	○	○	○	○	○	○	○	○
Cultivator weight (inter row 65-80 cm)		575 Kg	800 Kg	1020 Kg	870 Kg	900 Kg	930 Kg	1200 Kg	1300 Kg	2000 Kg

SCD RANGE

Frame		Rigid			Manual folding	Hydraulic folding				
		TIP 5"			TOP 7"	TIP 5"				
Width		3 m 50	5 m 20	6 m 60	9 m 80	3 m 70	5 m 00	5 m 20	6 m 30	6 m 70
Transport width						2 m 30	3 m 65 (1)	3 m 00	3 m 00	3 m 00
Number of rows 45-50 cm		6	-	12	18	6	-	-	12	-
Number of rows 50-65 cm		5	7	-	-	-	7	7	9	11
Number of rows 65-80 cm		4	6	8	12	4	6 (4 if folded)	6	-	8
Guiding	Self-guiding	●	●	●	●	●	●	●	●	●
	Standard front-mounted	○	○	-	-	-	-	○	-	-
	Manual guiding	○	○	-	-	○	○	○	-	-
	Automatic guiding	○ (3)	-	-	-	-	-	○ (3)	○ (3)	○ (3)
Fertilizer	Standard fertilizer	○	○	○	-	○	○	○	-	-
	High capacity fertilizer	○	○	-	-	-	-	○	-	-
	Front fertilizer 1000 or 1600 l	○	○	○	-	○	○	○	○	○
Land wheels		○	○	○	●	○	○	○ / ● (4)	○	○
Transport carriage		-	-	○	○	-	-	-	-	-
Lighting kit		○	○	○	○	○	○	○	○	○
Cultivator weight (inter row 65-80 cm)		550 Kg	770 Kg	980 Kg	1890 Kg	620 Kg	840 Kg	900 Kg	1150 Kg	1140 Kg

● : Standard ○ : On option - : Not possible For other special models and inter row spacing, please consult us.

1) : according to inter row spacing 2) : exclusively 75 cm inter row spacing 3) : exclusively even number of rows and without fertilizer attachment 4) : with 980 l hopper


MARKET GARDENING RANGE

Vegetable crops demand particular attention and this is why MONOSEM designed a guidable, sturdy and versatile cultivator for all your hoeing, cultivating and re ridging activities.



SC unit

MULTICROP unit



Inter rows 25 to 80 cm

Inter rows 25 to 90 cm

1 Parallelogram

3 Depth control

2 Depth control wheel

4 Spring bracket for shovel or blade

5

Main accessories



Shovel
(width 14, 20, 25, or 30)



Duckfoot
(width 20, 25 or 30)



Rigid shank
(flat or pointed shoe)



Lelièvre blade
(maize or sugar beet)



Planet blade
(with or without cheek)



Bedder
(fixed or adjustable)




Frame

Easily adjustable, the frame in 5" x 5" profile can be assembled with a wide combination of equipment. The choice of frames (see pages 9-11) enables working widths from 2 to 12 rows and over.



Steering system

The precise and gently steering system has an integrated locking system.



« MARKET GARDENING » RANGE

5" TIP frame		Rigid									Manual folding		Hydraulic folding		
Width		2 m 00	2 m 20	2 m 50	2 m 60	3 m 00	3 m 50	3 m 80	4 m 00	4 m 50	3 m 70	5 m 00	5 m 20	6 m 30	6 m 70
Transport width											2 m 20	3 m 60	3 m 20	3 m 00	3 m 00
Type of unit	Inter row spacing	Number of rows													
Super-crop	40-60 cm	2	2	-	-	4	5	6	6	7	-	-	7	12	11
	55-80 cm	2	2	3	3	-	4	-	-	5	4	6	6	9	8
Multicrop	40-60 cm	2	2	-	-	4	5	6	6	7	-	-	7	12	11
	55-80 cm	2	2	3	3	-	4	-	-	5	4	6	6	9	8
Manual guiding		●	●	●	●	●	●	●	●	●	●	●	●	●	●
Lighting kit		○	○	○	○	○	○	○	○	○	○	○	○	○	○

● : Standard ○ : On option - : Not possible For other special models and inter row spacing, please consult us.